





MERCEDES-BENZOUTSIDE -SORTIMO INSIDE

Made for professionals

VanPartner by Mercedes-Benz







Time is money – Fast delivery and installation are guaranteed.



3 years warranty – Sortimo offers a 3 year guarantee on these products.



Upgrade – This very flexible product can be individually combined with other Sortimo products.



Crash tested - This product fulfills the high safety requirements of Sortimo. In co-ordination with the German TÜV, DEKRA and the ADAC, the equipment has been successfully crash-tested in simulated emergencies.



Lightweight yet robust – This product combines modern lightweight construction with utmost stability.



ProSafe – The lashing point for the ProSafe hooks are already integrated in the equipment and quickly ready for use.



CO₂ reduction – Based on modern lightweight construction, the weight of the equipment has been considerably reduced to save on petrol and reduce CO₂ emissions.

MERCEDES-BENZ AND SORTIMO-COMPREHENSIVELY CARE-FREE

Buying a vehicle is a matter of trust

You have chosen a Mercedes-Benz CV because you set value on quality and individual benefits. But quality and individual benefit should not know any boundaries. This is why Sortimo is exactly the right choice if you wish to have a van racking solution. We open up new horizons with intelligent solutions for your individual requirements.

Your benefits

We have perfectly fitted equipment for your transporter, because we develop our solutions together with Mercedes-Benz. The Sortimo shelves are tailored to exactly match the already existing fastening points in your vehicle. Therefore you no longer have to put up with any damage to the body of your transporter.

Individually for you, perfect fit for your Mercedes-Benz.

www.sortimo.com

CRASH TEST

OUR PACKAGE FOR YOU

We open up new horizons for your requirements and your Mercedes-Benz with convenient van racking solutions.


We've driven our products into the wall - successfully


All Sortimo van racking solutions have been crash tested. In co-operation with the German TÜV, Dekra and ADAC, Sortimo simulates the emergency under real conditions, so that your load won't become a life-threatening projectile in case of a crash.

At a barrier impact speed of 50 km/h, the Sortimo products are literally driven into the wall.

This way we ensure that our van racking solutions also meet the high demands of Sortimo when it comes to safety.

Only those which pass their on-road test are good enough for our customers.











GLOBELYST XPRESS

from page 6

Globelyst scores with its modular system, which can be changed or extended as you wish, at any time. **Xpress** describes van racking solutions of the Globelyst product line, which **perfectly fit to your Mercedes-Benz Citan, Vito or Sprinter** and are delivered and installed in Xpress time.

Mith the **Pro**

PROSAFE

With the **ProSafe lashing system** both you and your transport are safe on the road. The integrated load securing system ProSafe from Sortimo enables a **quick and easy lashing of loads** and thereby provides not only for safety but also for order and an efficient operational management.

Since 2014 Sortimo offers in addition as sole manufacturer an entire load securing package as a complete solution for your Transporter with its **SoboGrip ProSafe floor**.

Further information can be found on **page 24**.

from page 24

THE PACKAGE:

from page 32

SIMPLECO

The clever solution for your Citan

for self-assembly. The shelves are

suspended from above so that there is still

sufficient space for pallets and bulky loads in the floor area, even in a versatile small van.

Your advantage: The order is made quick and easy and is delivered to you within a short time.

Take a look at simpleco for yourself from page 32

Predefined van racking solution with maximum use of space

- attractive price-performance ratio
- everything from a single source

With the **Sortimo load safety system, the BOXXes and the case programme,** as well as with the extensive **Original Accessories** your individuality does not have set boundaries.

You can find further information on this from page 24 to 31.

from page 24-31





GLOBELYST -AT A GLANCE

press

Composite long components tray

The long components tray allows you to transport longer items in the vehicle without any problem.

Sortimo S-BOXX

Sortimo's S-BOXXes are available in four

Sortimo i-BOXX

The i-BOXXes from Sortimo are clever be fitted with Inset boxes.

Sortimo Accessories

Original accessories from Sortimo are practical supplementary products for all trades and industries. Sortimo will fulfil your requirements.

vehicle can be utilised: Tools and spare parts can be neatly arranged in the racks and trays of Globelyst.

i-BOXX Adaptor plate

Your i-BOXX is securely locked in place during transport with the aid of the i-BOXX holder. The holder can be screwed to the perforated side panel or to the vehicle itself

Shutter

With the shutter made out of hollowchamber profiles, load safety and visual cover takes only one movement. The optional lock provides additional protection against unauthorized access.

ProSafe

The load safety system is integrated into the poles and traverses of the van racking solution.

Sortimo L-BOXX and LS-BOXX

Mobile plastic boxes with a wide variety of possible partitions, available in five heights. L-BOXXes can be quickly click-joined with each other and transported as one.

Sortimo T-BOXX

Thanks to the practical plastic case with the transparent lid you can see right away what is in the BOXX. The T-BOXX can be safely stored in the vehicle equipment.

Sortimo M-BOXX

A large mobile box with handle, also available with a lid. The M-BOXX locks in the system and can also be used as a drawer.

Metal case

The original case is available in many different variants. The case is on rails and can be pulled out completely.

Drawers

The new drawers with their user-friendly handles made from impact-resistant plastic are fully extendible and can be loaded with up to 80 kg. They are available in four different widths and heights.

Workbenches

Sortimo workbenches turn your van into a mobile workshop. Both, folding and extendible workbenches are available and can be supplemented with a rotating vice plate and a vice.

heights, two widths and three depths. They are the ideal container for small components, spare parts or screws and can be securely locked on the shelf. You can pull the drawer out for easy access to all parts.

little storage solutions that can be used on their own or as part of the LS-BOXX. They are available in two heights and can

From the cable holder to the cable hook -

Racks and trays

Up to the last corner, the space in your

Floor Front

Floor fronts provide for order, visual cover and safety in the vehicle.

Case clamp

Secures tool and machine cases and can be positioned in no time.

MultiSlide

The MultiSlide allows an easy handling of all cases and BOXXes. With the full-extension slide the lids can be opened completely and small parts and tools can be accessed quickly.

Safety and protective floors

The basis for your van racking system is the safety or protective floor. You can choose between a variety of floors. The floors are cut to size for different vehicle models, offer integrated lashing possibilities and protect the vehicle floor from damage.

MERCEDES-BENZ CITAN BLOCKS

WHEELBASE: 2697 mm | MODEL YEAR 2012 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



RIGHT SIDE

(PASSENGERS SIDE)

VanPartner by Mercedes-Benz





LEFT SIDE (DRIVERS SIDE)











- ► Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- ▶ 2 drawers
- ▶ 1 open shelf with 1 L-BOXX 102 and 1 half-height S-BOXX
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 32 kg

MB CI LI-1

- ▶ 1 shelf tray
- ▶ 1 open shelf with drop-down front
- ▶ 1 open shelf with 5 S-BOXXes and 1 wide S-BOXX
- ▶ 1 base plinth
- WxDxH: approx. 1246 x 382 x 1104 mm Weight: approx. 27 kg

MB CI LI-2

- 2 shelf trays
- ▶ 1 open shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 2 T-BOXXes on MultiSlides
- 1 open shelf with drop-down front
- 2 floor drop fronts

Weight: approx. 39 kg

- 2 floor lashing rails ProSafe

WxDxH: approx. 1246 x 382 x 1104 mm

- MB CI LI-3 Spaceframe with integrated ProSafe lashing system
- ▶ 1 shelf tray
- 2 drawers
- 2 T-BOXXes on MultiSlides
- ▶ 1 open shelf with 4 S-BOXXes
- ▶ 1 open shelf with drop-down front
- 2 floor drop fronts
- 2 floor lashing rails ProSafe
- WxDxH: approx. 1246 x 382 x 1070 mm Weight: approx. 48 kg



MB CI RE-1

- ▶ 1 shelf tray
- ▶ 1 open shelf with 2 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with drop-down front
- ▶ 1 base plinth

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 22 kg



MB CI RE-2

- ▶ 1 shelf tray
- ▶ 1 open shelf with drop-down front
- 2 drawers
- ▶ 1 frame traverse ProSafe
- ▶ 1 floor drop front

▶ 1 floor lashing rail ProSafe

WxDxH: approx. 762 x 382 x 1104 mm Weight: approx. 29 kg











MERCEDES-BENZ CITAN

FLOOR-WALL

WHEELBASE: 2697 mm | MODEL YEAR 2012 | SLIDING DOOR RIGHT SIDE

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

697 mm	331013206
607 mm with wheel bours assing	
697 mm with wheel house casing	1000002609
081 mm	331017394
081 mm with wheel house casing	1000003170

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

SOBOGRIP® PROSAFE FLOOR

PLEASE COMPLETE THE ORDER FORM

the entire load securing package

AND FAX IT TO SORTIMO

(see second last page)

Vehicle type	Wheelbase	Article No.
▶ Citan	2697 mm	1000002880
Citan	2697 mm with wheel house casing	1000003152
Citan	3081 mm	1000002894
Citan	3081 mm with wheel house casing	1000003153

All benefits of the SoboGrip protective assembly floor

(+) multitude of countersunk lashing possibilities

Step 3: Select the appropriate side cladding.


SOWAFLEX®

- ▶ the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant

• Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

						_
	Vehicle type	Wheelbase	Roof	Wall cladding	Article No.	
	Citan	2697 mm		Side cladding (2/4/6)	331013210	,
•	Citan	2697 mm		Side cladding (1/3/5)	1000001775	
	Citan	2697 mm		Sliding door bottom (9)	331013226	
•	Citan	2697 mm		Sliding door top (10)	331013224	4
	Citan	2697 mm		Wing door bottom (13/15)	331013229	
•	Citan	2697 mm		Wing door top (14/16)	331013228	
	Citan	3081 mm	H1	Side cladding (2/4/6)	331017383	
•	Citan	3081 mm	H1	Side cladding (1/3/5)	1000001778	



MERCEDES-BENZ VITO BLOCKS

WHEELBASE: 3200 mm COMPACT | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



VanPartner by Mercedes-Benz



LEFT SIDE (DRIVERS SIDE)







VIT 14 KO LI-1

- 3 shelf trays
- **2 open shelves** with border
- ▶ 1 open shelf with 2 M-BOXXes with handle
- ▶ 1 open shelf with 2 T-BOXXes
- 2 base plinths

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 49 kg



VIT 14 KO LI-2

- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 4 S-BOXXes
- 1 open shelf with 6 half-height S-BOXXes
- ▶ 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 136
- 1 open shelf with 2 L-BOXXes 238
- 1 shelf tray
- ▶ 1 case clamp
- ▶ 1 floor drop front

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 57 kg



VIT 14 KO LI-3

- ► Spaceframe with integrated ProSafe lashing system
- 2 open shelves with 6 S-BOXXes
- 2 open shelves with border
- ▶ 4 drawers
- 2 T-BOXXes on case rails
- 1 case clamp
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1730 x 382 x 1204 mm Weight: approx. 69 kg



- 2 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes

WxDxH: approx. 1004 x 382 x 1204 mm

1 open shelf with border

Weight: approx. 28 kg

▶ 1 base plinth



2 open shelves with borders

Weight: approx. 40 kg

- 3 drawers
- ▶ 1 floor drop front



- ► Spaceframe with integrated ProSafe lashing system
 - **2 open shelves** with border
 - 3 drawers
 - ▶ 4 metal cases on case trays

VIT 14 KO RE-3

- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 work bench slide with vice and swivel vice plate

WxDxH: approx. 1057 x 382 x 1204 mm Weight: approx. 78 kg



WxDxH: approx. 1004 x 382 x 1206 mm











PROSAFE

Step 1: Select the suitable equipment.

MERCEDES-BENZ VITO BLOCKS


WHEELBASE: 3200 mm LONG | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

SET OF BOXXes original sortimo boxxes (+) Adapter plate


Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.

The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.





LEFT SIDE (DRIVERS SIDE)



RIGHT SIDE (PASSENGERS SIDE)

VanPartner by Mercedes-Benz



VIT 14 LA LI-1

- 4 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 2 M-BOXXes
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 2 base plinths

WxDxH: approx. 1972 x 382 x 1204 mm Weight: approx. 61 kg



VIT 14 LA LI-2

- 2 open shelves with 6 S-BOXXes in each
- ▶ 1 open shelf with border
- 2 shelf trays
- 2 drawers
- 1 case clamp
- 1 floor drop front

WxDxH: approx. 1972 x 382 x 1204 mm Weight: approx. 55 kg



VIT 14 LA LI-3

- ► Spaceframe with integrated ProSafe lashing system
- 1 Composite long components tray
- 2 open shelves with 6 S-BOXXes in each
- 1 open shelf with 6 half-height S-BOXXes 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 102 and 1 half-height S-BOXX,
- 1 open shelf with 2 L-BOXXes 136 and
- 2 drawers, 1 case clamp, 1 lifting flap
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 1972 x 382 x 1198 mm Weight: approx. 79 kg



- 2 shelf trays
- ▶ 1 open shelf with border

Weight: approx. 29 kg

WxDxH: approx. 1004 x 382 x 1024 mm

- ▶ 1 drawer
- ▶ 1 base plinth



- **2 open shelves** with border
- ▶ 3 drawers
- 2 T-BOXXes on case trays
- ▶ 1 metal case on case tray

Weight: approx. 52 kg

▶ 1 floor drop front



► Spaceframe with integrated ProSafe lashing system

VIT 14 LA RE-3

- 1 open shelf with 4 S-BOXXes and 1 wide S-BOXX
- 1 open shelf with 2 L-BOXXes 102
- ▶ 3 drawers
- ▶ 1 LS-BOXX on case tray
- ▶ 1 lifting flap
- 1 floor lashing rail ProSafe
- 1 foldable work bench with vice

WxDxH: approx. 1224 x 382 x 1024 mm Weight: approx. 71 kg









WxDxH: approx. 1004 x 382 x 1024 mm

PROSAFE

MERCEDES-BENZ VITO FLOOR-WALL

WHEELBASE: 3200 mm COMPACT / 3200 mm LONG | MODEL YEAR 2014 | SLIDING DOOR RIGHT SIDE

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

Vehicle type	Wheelbase	Roof	Article No.	
▶ Vito	3200 mm L1	H1	1000003158	
▶ Vito	3200 mm L2	H1	1000003159	
▶ Vito	3430 mm	H1	1000003160	

- Floor made of waterproof glued Nordic birch
- 9 mm protective floor
- Highly scratch and impact resistant
- Custom-fit to your vehicle
- No drilling of the vehicle floor necessary

SOBOGRIP® PROSAFE FLOOR

the entire load securing package

Vehicle type	Wheelbase	Roof	Article No.	
▶ Vito	3200 mm L1	H1	1000003239	
▶ Vito	3200 mm L2	H1	1000003240	
▶ Vito	3430 mm	H1	1000003241	

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

3

Step 3: Select the appropriate side cladding.

SOWAFLEX®

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistantDamp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

	Vehicle type	Wheelbase	Roof	Wall cladding	Article No.
	Vito	3200 mm L1	H1	Side cladding (1-6)	1000003161
•	Vito	3200 mm L2	H1	Side cladding (1-6)	1000003162
	Vito	3430 mm	H1	Side cladding (1-6)	1000003163
•	Vito			Sliding door bottom (9)	1000003164
	Vito			Sliding door top (10)	1000003165
•	Vito	all	H1/H3	Wing door bottom (13/15)	33340238
	Vito	all	H1	Wing door top (14/16)	33340399
•	Vito	all	H3	Wing door top (14/16)	331004293
>	Vito	3200 mm compact/long	H1/H3	Tailgate bottom (17)	331001188
•	Vito	3200 mm compact/long	H1/H3	Tailgate top (18)	331001187


PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO

(see second last page)

SOWAAPP®

- ▶ The extremely sturdy wall cladding made out of aluminium
- Protects the vehicle interior and serves at the same time as a clever fastening mechanism for a wide range of accessories such as hooks and perforated wall holders, thanks to its perforated system.
- Quickly installed due to fastening with clips and drilling screws on allocated points in vehicle.
- Moisture and chemical resistant
- Cut perfectly to size for your vehicle type.

AVAILABLE FROM NOVEMBER 2014




▶ Vito 320	200 mm L1 H	H1 :	0'-111-1' (4.0)	
			Side cladding (1-6)	1000003177
▶ Vito 320	200 mm L2	H1	Side cladding (1-6)	1000003178
▶ Vito 343	130 mm H	H1	Side cladding (1-6)	1000003179
▶ Vito all	H	H1	Wing door top (14/16)	1000003176
▶ Vito all	ŀ	H1	Wing door bottom (13/15)	1000003175

MERCEDES-BENZ SPRINTER BLOCKS

WHEELBASE: 3250 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)



VanPartner by Mercedes-Benz





- ▶ 5 shelf trays
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with 2 T-BOXXes
- ▶ 1 open shelf with drop-down front
- 2 base plinths

WxDxH: approx. 2214 x 382 x 1529 mm Weight: approx. 69 kg



SP KU LI-2

- 3 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with border
- 1 open shelf with 2 L-BOXXes 136
- ▶ 1 open shelf with drop-down front
- ▶ 1 floor drop front
- ▶ 1 case clamp

WxDxH: approx. 2214 x 382 x 1529 mm Weight: approx. 80 kg



SP KU LI-3



- 3 shelf trays
- 1 open shelf with 7 S-BOXXes
- 2 open shelf with 6 S-BOXXes in each
- ▶ 1 open shelf with 2 L-BOXXes 136
- 1 LS-BOXX on case tray
- 1 open shelf with border
- 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 2214 x 382 x 1546 mm Weight: approx. 103 kg



- 2 shelf trays
- ▶ 1 open shelf with 6 S-BOXXes
- ▶ 1 open shelf with border
- ▶ 1 open shelf with 2 L-BOXXes 136
- ▶ 1 base plinth

WxDxH: approx. 1004 x 382 x 1546 mm Weight: approx. 40 kg




- ▶ 1 shelf tray
- ▶ 1 open shelf with border
- ▶ 1 open shelf with drop-down front
- 3 drawers
- ▶ 1 T-BOXX on case tray
- ▶ 1 L-BOXX 238 on case tray
- ▶ 1 floor drop front

WxDxH: approx. 1246 x 382 x 1563 mm Weight: approx. 60 kg



SP KU RE-3



PROSAFE

- **2 open shelves** with 5 S-BOXXes in each and 1 wide S-BOXX
- 1 open shelf with 2 L-BOXXes 102 and
- 1 open shelf with 2 L-BOXXes 136 and
- 1 S-BOXX
- ▶ 1 T-BOXX on case tray 1 L-BOXX 238 on case tray
- ▶ 1 lifting flap, 3 drawers, 1 floor lashing rail ProSafe,
- 1 folding work bench with vice

WxDxH: approx. 1466 x 382 x 1563 mm Weight: approx. 99 kg












MERCEDES-BENZ SPRINTER BLOCKS

WHEELBASE: 3665 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

Step 1: Select the suitable equipment.



LEFT SIDE (DRIVERS SIDE)

SET OF BOXXes original sortimo boxxes (+) Adapter plate

Sortimo's adapter plate turns the L-BOXX into the smallest independent van racking solution for vans.

The adapter plate is fastened to the loading area wall and ensures secure hanging of the L-BOXXes.



VanPartner by Mercedes-Benz

RIGHT SIDE (PASSENGERS SIDE)



SP MI LI-1

- ▶ 5 shelf trays
- **2 open shelves** with border
- ▶ 2 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX
- ▶ 1 open shelf with 3 L-BOXXes 136
- 2 base plinths
- WxDxH: approx. 2940 x 382 x 1648 mm Weight: approx. 99 kg



SP MI LI-2

- 3 shelf trays
- 3 open shelves with border
- 2 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX in each
- ▶ 1 open shelf with 3 L-BOXXes 136
- ▶ 1 LS-BOXX on case tray
- ▶ 3 drawers
- 2 floor drop fronts

WxDxH: approx. 2940 x 382 x 1648 mm Weight: approx. 126 kg



SP MI LI-3

- Spaceframe with integrated ProSafe lashing system
- 1 Composite long components tray
- 4 open shelves with 7 S-BOXXes in each and 1 wide S-BOXX
- 2 open shelves with borders 1 open shelf with 3 L-BOXXes 102 1 open shelf with 3 L-BOXXes 136 1 open shelf with 3 L-BOXXes 238
- 1 LS-BOXX on case tray, 3 drawers
- ▶ 1 lifting flap, 1 case clamp
- ▶ 1 floor lashing rail ProSafe

WxDxH: approx. 2940 x 382 x 1732 mm Weight: approx. 157 kg



SP MI RE-1

▶ 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX

WxDxH: approx. 1488 x 382 x 1716 mm

Weight: approx. 42 kg

- 3 shelf trays
- ▶ 1 base plinth



- 2 shelf trays
- ▶ 1 open shelf with border
- 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 1 open shelf with 3 T-BOXXes
- ▶ 1 open shelf with 3 M-BOXXes with handles
- 1 floor drop front

WxDxH: approx. 1488 x 382 x 1648 mm Weight: approx. 68 kg



SP MI RE-3

- ► Spaceframe with integrated ProSafe lashing system
- 1 shelf tray
- 1 open shelf with border
- 1 open shelf with 7 S-BOXXes and 1 wide S-BOXX
- ▶ 7 drawers. 1 LS-BOXX on case trav
- ▶ 1 open shelf with 3 L-BOXXes 136
- ▶ 1 lifting flap
- ▶ 1 floor lashing rail ProSafe
- ▶ 1 folding work bench with vice

WxDxH: approx. 1708 x 382 x 1648 mm Weight: approx. 115 kg











PROSAFE

MERCEDES-BENZ SPRINTER FLOOR-WALL

WHEELBASE: 3250 / 3665 mm | MODEL YEAR 2006 | SLIDING DOOR RIGHT SIDE

2

Step 2: Select the appropriate floor.

SOBOGRIP®-PROTECTIVE FLOOR

the protective floor for tough conditions

Vehicle type	Wheelbase	Article No.	
vernoic type	Wilcolbase	Altiole No.	Floor made of waterproof
▶ Sprinter	3250 mm	331008871	glued Nordic birch
Sprinter	3665 mm	331008873	 9 mm protective floor
▶ Sprinter	4325 L1	331008874	Highly scratch and impact
Sprinter	4325 L2	331008875	resistant
· opto:	.020 22	00.0000.0	 Custom-fit to your vehicle
			 No drilling of the vehicle floor
			necessary

SOBOGRIP® **PROSAFE** FLOOR

the entire load securing package

Vehicle type	Wheelbase	Article No.	
Sprinter	3250	1000002993	
Sprinter	3665	1000002730	
Sprinter	4325	1000002731	
Sprinter	4325 overhang	1000002732	

All benefits of the SoboGrip protective assembly floor

multitude of countersunk lashing possibilities

3

Step 3: Select the appropriate side cladding.

SOWAFLEX®

- the lightweight & sturdy wall cladding
- Protects the vehicle from the inside against damages
- Highly impact and scratch resistant

• Damp and chemical resistant

- Cut-to-size for all vehicle models
- 100% recyclable honeycomb material
- 60% lighter than wood

Vehicle type	Wheelbase	Wall cladding	Article No.
► Sprinter	3250 mm	Side cladding 1-6	331009617
▶ Sprinter	3665 mm	Side cladding 1-6	331009619
► Sprinter	3250 mm	Sliding door bottom 9	331009622
▶ Sprinter	3250 mm	Sliding door top 10	331009621
► Sprinter	3665 mm	Sliding door bottom 9	331009624
▶ Sprinter	3665 mm	Sliding door top 10	331009623
▶ Sprinter	3250 / 3665 mm	Wing door bottom 13/15	331009626
▶ Sprinter	3250 / 3665 mm	Wing door top 14/16	331009625
▶ Sprinter	4325 mm L1	Side cladding 1-6	331009659
► Sprinter	4325 mm L2	Side cladding 1-6	331009661


PLEASE COMPLETE THE ORDER FORM AND FAX IT TO SORTIMO

(see second last page)

SOWAAPP®

- ▶ The extremely sturdy wall cladding made out of aluminium
- Protects the vehicle interior and serves at the same time as a clever fastening mechanism for a wide range of accessories such as hooks and perforated wall holders, thanks to its perforated system.
- Quickly installed due to fastening with clips and drilling screws on allocated points in vehicle.
- Moisture and chemical resistant
- Cut perfectly to size for your vehicle type.

AVAILABLE FROM NOVEMBER 2014



Vehicle type	Wheelbase	Wall cladding	Article No.	
▶ Sprinter	3250 / H1+H2	Side cladding (1-6)	1000003115	
▶ Sprinter	3665 / H1+H2+H3	Side cladding (1-6)	1000003116	
▶ Sprinter	3250+3665 / H1+H2	Wing door top (14/16)	1000003079	
► Sprinter	3250+3665 / H1+H2	Wing door bottom (13/15)	1000003081	



PROSAFE SAFETY SERIES PRODUCTION



ProSafe in Uprights ProSafe in the Traverse ProSafe as Floor Rails ProSafe lashing point in the Floor

ProSafe is integrated as a standard in the load safety system from Sortimo.

The lashing belts and load safety nets can be hooked in uprights, frames, traverses and floor rails without difficulty. ProSafe makes load safety possible in no time at all.

Your benefits:

- √ You and your freight are safe on the road.
- √ You preserve your material.
- √ You save on time, weight and money.





ProSafe bungee strap

The ProSafe bungee strap suits perfectly for the fixation of bulky goods in a vehicle.



CargoStopp ProSafe

The CargoStopp allows for reliable load safety on the vehicle safety floor. It is inserted into the ProSafe floor lashing point with its hook.

SOBOGRIP PROSAFE PROTECTIVE FLOOR

SECURE, TIME SAVING AND SIMPLE!

The SoboGrip ProSafe protective floor is an innovative and professional load securing concept from Sortimo which enables a completely flexible lashing of goods on the floor. That way, goods can be secured more quickly, more diversely and more efficiently than ever before. In addition the SoboGrip ProSafe floor is compatible with all ProSafe applications, such as for example straps or restraint poles and enables a quick and easy assembly of Sortimo van racking systems by means of preconfigured connection points.

The Sortimo SoboGrip ProSafe protective floor is the modular base load securing concept

- √ highest safety standard,
- √ variable applicability,
- √ optimum efficiency for your workday!



24

NEW!



SOBOECO FLOOR - NEW!

THE EXTRA LIGHTWEIGHT PROTECTIVE FLOOR

The **SoboEco floor** is an especially lightweight plastic protective flooring with a corrugated surface structure therefore enhancing grip ability.

With the SoboEco floor Sortimo offers a solution for everybody that does not require a van racking system but still would like to protect their vehicle against damage and wear and tear.

Quick and simple protection for your vehicle - with the SoboEco floor:

- √ extra light, 50% lighter than wood
- √ no assembly effort
- √ delivered in one piece


THE **SOBOECO FLOOR** FOR YOUR MERCEDES-BENZ:

Vehicle type	Wheelbase	Roof	Article No.	
▶ Citan	2697 mm	H1	1000002986	
► Citan	2697 mm with wheel house casing	H1	1000003014	
▶ Citan	3081 mm	H1	1000002963	
Citan	3081 mm with wheel house casing	H1	1000003015	
▶ Vito	3200 mm L1	H1	1000003172	
▶ Vito	3200 mm L2	H1	1000003173	
▶ Vito	3430 mm	H1	1000003174	
▶ Sprinter	3250 mm		1000002999	
► Sprinter	3665 mm		1000002900	
▶ Sprinter	4325 mm		1000002883	
► Sprinter	4325 mm overhang		1000002899	

MATERIAL PROPERTIES

- √ Floor made of plastic
- √ Material strength 10.5 mm
- ▼ Extremely slip-proof due to groove structure
- √ Moisture and chemical resistant
- √ Cut to fit vehicle type exactly











Ladder lift

The Sortimo ladder lift is suitable for the convenient transport of heavy ladders.

Thanks to the gas-pressure spring supported lifting system there is no lifting or lashing of the ladder required. All single and multi-ladders can be easily accessed from the ground.

The ladder lift is available in two basic lengths 2.5 and 3 metres.



The transport tube

A perfect addition to the TopSystem.

The transport tube is ideal for securely storing long goods and keeping them dry.

The cover is lockable.



Loading roller

The ideal helper for heavy or large

Your loading material can be conveniently rolled onto or off the vehicle roof. It is available in the following widths: 500, 1250, 1350, 1450, 1550, 1650 and 1750 mm.



Profile supports which can be variably positioned

The profile supports are responsible for the side wall securing of loads.

The height of the profile support can be individually shortened as required.

Both profile supports are to be fastened anywhere needed above the aluminium

cross members.



Operating platform

Sortimo's finishing touch to a complete product portfolio is the operating platform.

The guard rail on the TopSystem secures you even when working at an airy height.

The lightweight system is comprised of anodised aluminium and connection elements made from high quality steel and is suitable for all vehicle roofs.

The guard rail can be easily folded away after usage.



A warning beacon to safeguard a place of operation.

Alternatively the magnetic warning beacon can be attached to the lateral retaining bracket on the TopSystem without the need for any drilling (see picture right).



The profile tracks

Enables easier implementation of additional cross members.

It increases stability and carries a

vast amount of accessories.

The lashing strap buckles can be

easily latched to the tracks.

The rubber strip on the top prevents the load from slipping.



The side rail

The aluminium side rail increases stability and implements as many cross members as required.

Your company logo can be put on to the side rail.

A ladder can be leant against the vehicle without damaging it.



Fastening for ladders

To hold the ladder in place and prevent it from slipping sideways, it is possible to mount fixing clamps on the side wall of the vehicle.





ORIGINAL ACCESSORIESFROM SORTIMO

MOBILE ASSORTMENTS PORTABLE ORDER FROM THE START

With the help of **Sortimo's industry-specific Original Accessories** our Xpress racks can be customised to your individual needs. The convenient perforated aluminium plate for example offers the ideal place to attach hooks and holders for tools and

PRIMENTS

Moreover, customised partitions and divider sets for drawers or trays, storage pockets, lashing rails, workbenches and much more facilitate the best usage of your vehicle.



Discover more in our brochures Original Accessories and Mobile Assortments:

Download on: **www.sortimo.com/brochures**. or order via the form on **page 41**.

Sortimo offers a great variety of **Mobile Assortments** in terms of cases and **BOXXes**, which can be

combined with one another and are compatible with the van racking solutions.



PARTNER APPs

Not only Sortimo customers are convinced of our BOXXes, but renowned manufacturers as well.

They use the **Sortimo L-BOXX** as a transportation box and outer packaging. Thanks to continuous new partners the L-BOXXes become true partner apps with a variety of application options.

Regardless from which manufacturer you acquire a Sortimo BOXX, the system stays the same and **is of course compatible with the Sortimo van racking solutions.**

Your benefits:

- √ You can easily take the BOXXes with you to the site
 of operation.
- √ You keep order in your vehicle and at your workplace.
- √ Your tools, machines, small and spare parts are securely stored in the vehicle.































30



WHY COMPLICATED, IF YOU CAN ALSO HAVE IT SIMPLECO®?

You are looking for a simple and efficient order solution for your van?

The simpleco shelf system convinces with simple self-assembly and shortest delivery times within three working days.

With just a few movements you have a shelf system with low net weight and sufficient storage space into which you can of course conveniently integrate all Sortimo BOXXes.

Since the simpleco system works without floor plate, you not only save installation time, but in particular weight and costs. At the same time there is enough space for bulky loads.









SIMPLECO Sortimo

---- simple & economic



SIMPLECO® SIMPLE AND ECONOMIC

Innovative shelving design in

With simpleco, you can kit out your vehicle

with smart equipment at a great price,

Fits all popular makes of

We have a suitable simpleco solution in

stock for all common brands of vans.

Lightweight and easy on

simpleco gives you top performance at

a low price. Its lightweight construction

still retains the same carrying capacity.

keeps down your fuel costs and your van

Choose your own individual

With 12 different shelf options in three

widths and two depths for both the left and right side, you can kit out your vehicle exactly how you want it.

compact van

the pocket

without having to compromise on quality.

proven Sortimo quality

MERCEDES-BENZ CITAN

Wheelbase 2697 mm, sliding door right side Not available for vehicles with ladder flap





MOUNTING KIT SELECT:

MOUNTING KIT is essential!

SPC MO REKA 08 GSet Ref. no. 901016823



Delivery within 3 working

days throughout Europe.

Your new simpleco equipment will

No need to be without

provided with each delivery.

your vehicle for a minute.

DIY installation means that you can decide

when and where to install the equipment. Detailed instructions for easy assembly are

You will be delighted with

simpleco® - guaranteed!

a 3 year guarantee from Sortimo.

We are so convinced of the top quality of

our simpleco equipment that it comes with

just 3 working days.

be delivered to you by courier within

BLOCK CONNECTOR

LEFT BLOCK CONNECTOR

RIGHT BLOCK CONNECTOR SPC MO REKA 08 RE Ref. no. 901016825



LEFT (DRIVER SIDE)

RIGHT (PASSENGER SIDE)

SPC 23 FR-FW-FR

1 Shelf base 22 with rim

1 Shelf base 23 with rim

1 Shelf tray 23

Weight: 10 kg

Resilience: 45 kg

Ref. no. 901016942 Dim.: 638 x 275 x 657 mm



SPC 43 FR-FW-FR

Ref. no. 901016944 1 Shelf base 42 with rim

Weight: 14 kg Resilience: 45 kg



Dim.: 1094 x 275 x 657 mm 1 Shelf base 42 with rim



SPC 23 BB-FW-FR

Ref. no. 901016939 Dim.: 638 x 275 x 657 mm 1 Shelf base 22 with rim

1 Shelf tray 23

1 Box tray with 3 S-BOXXes Weight: 10 kg Resilience: 45 kg



SPC 24 FR-FW-FR

Ref. no. 901016936 Dim.: 638 x 379 x 657 mm 1 Shelf base 23 with rim 1 Shelf base 24 with rim

1 Shelf tray 24 Weight: 11 kg

Resilience: 60 kg



SPC 24 BB-FW-FR

Dim.: 638 x 379 x 657 mm 1 Shelf base 23 with rim

Resilience: 60 kg



(identical for right and left sides)

SPC MO REKA 08 LI Ref. no. 901016824

THE CORRECT BLOCK:

Dim.: 1094 x 275 x 657 mm

1 Shelf base 43 with rim

1 Shelf tray 43

SPC 43 BB-FW-FR

Ref. no. 901016941

1 Shelf tray 43

1 Box tray with 6 S-BOXXes Weight: 14 kg Resilience: 45 kg



SPC 44 FR-FW-FR

Ref. no. 901016938 Dim.: 1094 x 379 x 657 mm 1 Shelf base 43 with rim

1 Shelf base 44 with rim

1 Shelf tray 44 Weight: 15 kg Resilience: 60 kg



SPC 44 BB-FW-FR

Ref. no. 901016935 Dim.: 1094 x 379 x 657 mm 1 Shelf base 43 with rim

1 Shelf tray 44

1 Box tray with 1 L-BOXX 136 and 3 S-BOXXes Weight: 16 kg Resilience: 60 kg



1 Shelf tray 24

1 Box tray with 1 L-BOXX 136 Weight: 12 kg



No-risk purchase

simpleco® fittings!

If you are not totally satisfied with your simpleco system, just return it to us within one month of purchase for a full refund."

* Our General Terms and Conditions apply. See: www.sortimo.com

SEE ORDER FORM ON THE SECOND LAST PAGE OF THE BROCHURE









SIMPLECO® ACCESSORIES



simpleco Anti-rattle mat 22-0

SPC ARM 22 Ref. no. 6000001650 Dim.: 474 x 145 mm For standard shelf and shelf tray 22

simpleco Anti-rattle mat 42-0

SPC ARM 42 Ref. no. 6000001652 Dim.: 930 x 145 mm For standard shelf and shelf tray 42

simpleco Anti-rattle mat 23-0

SPC ARM 23 Ref. no. 6000001653 Dim.: 482 x 242 mm For standard shelf and shelf tray 23

simpleco Anti-rattle mat 43-0

SPC ARM 43 Ref. no. 1000002072 Dim.: 941 x 242 mm For standard shelf and shelf tray 43

simpleco Anti-rattle mat 24-0

SPC ARM 24 Ref. no. 6000001655 Dim.: 490 x 346 mm For standard shelf and shelf tray 24

simpleco Anti-rattle mat 44-0

SPC ARM 44 Ref. no. 1000002073 Dim.: 941 x 246 mm For standard shelf and shelf tray 44

Labelling card set for S-BOXX standard

Ref. no. 6000000451 1 template with 18 lables



Labelling card set for S-BOXX wide

Ref. no. 6000000452 1 template with 6 lables



Labelling card set for S-BOXX mid-height

Ref. no. 6000000453 1 template with 20 lables



Divider shelf base with rim depth 3

TB FR 03-0 Ref. no. 401010278 Suitable for shelf base with rim 23, 33 and 43



Divider shelf base with rim depth 4

TB FR 04-0 Ref. no. 401010279 Suitable for shelf base with rim 24, 34 and 44



Divider bracket for shelf base with rim

SPC TBH FW Ref. no. 401002971





Divider for shelf tray depth 3

TB FW 3 Ref. no. 401002730 Suitable for shelf tray 23, 33 and 43



Divider for shelf tray depth 4

TB FW 4 Ref. no. 401002731 Suitable for shelf tray 24, 34 and 44



Divider bracket shelf tray front

SPC TBH FW Ref. no. 401002971



Divider bracket shelf tray rear SPC TBH FW

Ref. no. 401002973





SEE ORDER FORM ON THE SECOND LAST PAGE OF THE BROCHURE









SORTIMO IN GERMANY BRANCH OFFICES AND PARTNERS

Essen

Sortimo

■ Koblenz

SORTIMO INTERNATIONAL GmbH HEADQUARTERS

> 86441 Zusmarshausen Tel. +49 8291 850-0 Fax +49 8291 850-250 Email: info@sortimo.com www.sortimo.com

Dreilindenstraße 5

Sortimo branch office Berlin

Gartenfelderstraße 15 13599 Berlin Tel. 030 2005370-0 Fax 030 2005370-19 Email: berlin@sortimo.de

Sortimo branch office Dresden

Hamburger Straße 14 01067 Dresden Tel. 0351 207362-0 Fax 0351 207362-29 Fmail: dresden@sortimo.de

Helgo Duckstein

Julius-Brumme-Straße 2a 06406 Bernburg Tel. 03471 640011 Fax 03471 640066 Mobil 0171 3165813

Lutz Stelzner

04178 Leipzig Can be contacted via Dresden office

Jörg Schäfer

02906 Niesky Can be contacted via Dresden office

Sortimo branch office Düsseldorf

Bonner Straße 205 40589 Düsseldorf Tel. 0211 889206-0 Fax 0211 889206-11 Email: duesseldorf@sortimo.de

Sortimo branch office Frankfurt/Main

Waldstraße 74 63128 Dietzenbach Tel. 06074 91456-0 Fax 06074 91456-22 Email: frankfurt@sortimo.de

Günter Hund

66119 Saarbrücken Can be contacted via Frankfurt/Main office

Hamburg

Sortimo branch office

Sortimo branch office

Sales representative

□ Sales representative

Sortimo partner

Sortimo partner

Ausschläger Allee 178 20539 Hamburg Tel. 040 571954-0 Fax 040 571954-54 Email: hamburg@sortimo.de

Manfred Meyer

Am Ems-Vechte-Kanal 32 48531 Nordhorn Tel. 05921 3042325 Fax 05921 3045263 Mobil 0160 4759281

Sortimo branch office Sortimo branch office Munich

Teningen

Landshuter Straße 13 85716 Unterschleißheim Tel. 089 37004560 Fax 089 37004589 Email: muenchen@sortimo.de

Mannhein

Calw

☐ Her

Manfred Rieder

84028 Landshut Can be contacted via München office

Christian Schmaus 83278 Traunstein

Can be contacted via München office

Sortimo branch office Nürnberg

Benno-Strauß-Straße 37 90763 Fürth Tel. 0911 48035-35 Fax 0911 48035-36 Email: nuernberg@sortimo.de

Sortimo branch office Stuttgart

Nürtinger Straße 50 73257 Köngen Tel. 07024 9726-0 Fax 07024 9726-10 Email: stuttgart@sortimo.de

Michael Burkhardt

88699 Frickingen Can be contacted via Stuttgart office

Sortimo branch office

Sortimo

Sortimo

Magdeburg

■ Erfurt

Sortimo

Sortimo Headquarters

Sortimo

Unterschleißhe

Schweinfur

■ Fulda

nkfurt/Main

Heilbronn

Sortimo

ngen/Stuttgart

Bad Düber

Zusmarshausen Dreilindenstraße 5 86441 Zusmarshausen Tel. 08291 850-149 Fax 08291 850-253 Email: zusmarshausen@sortimo.de

Sortimo partner Bad Düben

Rolf Frömmiche Hauptstraße 10 04849 Authausen Tel. 034243 26234 Fax 034243 22114 Email: sortimo-froemmichen@gmx.de

Sortimo partner Berlin

IFP GmbH Buckower Chaussee 85 12277 Rerlin Tel. 030 72016005 Fax 030 89726753 Email: ifp-berlin@t-online.de

Peter Herrmann 14542 Werder (Havel) Can be contacted via Sortimo partner Berlin

Sortimo partner Bremen, Braunschweig. Celle

Wilfried Klatt GmbH Burger Landstraße 1 a 29229 Celle Im Finigen 15 28832 Achim Tel. 04202 521730 Fax 04202 521732 Fmail: info@klatt-sortimo.de

Jürgen Nemec

28195 Bremen 27283 Verden 49356 Diepholz 29614 Soltau Can be contacted via Sortimo partner Bremen

Thorsten Iseke 38100 Braunschweig

38440 Wolfsburg 38350 Helmsted Can be contacted via Sortimo partner Bremen **Beniamin Klatt**

29227 Celle 21335 Lüneburg 29525 Uelzen 29451 Dannenberg Can be contacted via Sortimo partner Bremen

Sortimo partner Brüggen

Bartsch + Feikes Gm Weihersfeld 18 41379 Brüggen Tel. 02163 9997-0 Fax 02163 9997-77 Email: info@bartsch-feikes.de

Sortimo partner Erfurt

Firma Gregor Inh. Mario Gregor Kalkreiße 14 99085 Erfurt Tel. 0361 550440-0 Fax 0361 550440-10 Email: info@gregor-erfurt.de

Sortimo partner Essen

Heiko Dworak GmbH & Co. Verwaltungs KG Johanniskirchstraße 98 45329 Essen Tel. 0201 747008-1 Email: hdworak@sortimo-essen.de

Sortimo partner Fulda

Josef Leibold GmbH Philipp-Reis-Straße 19-21 36093 Künzell Fax 0661 36697 Email: hojo@leibold-karosseriebau.de

Sortimo partner Gera

PFK Eickmeier GmbH & Co. KG Wiesenring 8 07554 Korbußen Tel. 036602 241-0 Fax 036602 241-23 Email: pfk-eickmeier@t-online.de

Sortimo partner Gerstetten

Klaus Fries Amselweg 5 89547 Gerstetten Tel. 07323 3907 Fax 07323 921867 Email: sortimo-station-gerstetten@t-online.de

Sortimo partner Halle

Gruber Fahrzeugbau GmbH Geltestr. 3 06184 Kabelsketal OT Dölbau Tel. 034602 4364-0 Fax 034602 4364-13 Email: info@gruber-sortimo.de

Sortimo partner Hanover

HIG GmbH Molkereistraße 33 30826 Garhsen Tel. 05131 4829 930 Fax 05131 48299359 Email: vertrieb@hig-hannover.de

Gernot Jünke

31785 Hameln 37154 Northeim 38640 Goslar Can be contacted via Sortimo partner Hannover

Joachim Lieke

30000 Hannover 31100 Hildesheim Can be contacted via Sortimo partner Hannover Christian Horstmann

31582 Nienburg

Can be contacted via Sortimo partner Station Hannover

Sortimo partner Heilbronn

Klaus & Hartmut Stöckel GbR Sägmühlstraße 45 74930 Ittlingen Tel. 07266 911555 Fax 07266 911557 Mobil 0173 3257383 Email: stoeckel.fahrzeugbau@t-online.de

Sortimo partner Kassel-Göttingen Peter Welsch Handelsvertretung GmbH

Ellenbacher Straße 6 34123 Kassel Tel. 0561 524300 Fax 0561 5296810 Fmail: info@sortimo-kassel.de

Sortimo partner Koblenz

L & S GmbH & Co.KG Hinter der Jungenstraße 9 56218 Mülheim-Kärlich Tel. 0261 98888310 Fax 0261 988883120 Email: info@ls-fahrzeugeinrichtungen.de

Sortimo partner Magdeburg

Lohanser GmbH Geschwister-Scholl-Straße 147 39218 Schöneheck (Flhe) Tel. 03928 4102-76 Fax 03928 4102-77 Email: info@lohanser.de

Sortimo partner Mainz

soflex GmbH An der Krimm 25 55124 Main7 Tel. 06131 1444266 Fax 06131 1444445 Email: mastel@soflex-ma.de

Sortimo partner Mannheim

soflex GmbH Schildkrötstraße 29 68199 Mannheim Tel. 0621 84254-0 Fax 0621 84254-29 Email: contact@soflex-ma.de Jürgen Hermann

Can be contacted via Sortimo partner Mannheim

64289 Darmstadt

Sortimo partner Kaiserslautern soflex GmbH Kaiserstrasse 74 67661 Kaiserslautern

Tel 0631 3507545 Fax 0631 3507776 Email: lang@soflex-ma.de Sortimo partner Marl Gahlen Fahrzeugeinrichtungen

und Anhänger Vertriebs GmbH Boschstraße 6 45770 Marl Tel. 02365 81911 Fax 02365 508161 Email: gahlen-sortimo@t-online.de

Sortimo partner Ostwestfalen-Lippe

THL GmbH Stadtheider Straße 1-3 33609 Bielefeld Tel. 0521 30443-0 Fax 0521 30443-22 Email: info@thl-bielefeld.de

Sortimo partner Pforzheim Sortimo Station Pforzheim

HS Fahrzeug- und Betriebseinrichtungen GmbH Hoheneichstraße 48 75217 Birkenfeld Tel 07231 80019-0 Fax 07231 80019-19 Email: info@sspf.de

Denis Bugert 76532 Baden-Baden 76131 Karlsruhe 75365 Calw 71083 Herrenberg 72250 Freudenstadt Can be contacted via Sortimo partner Pforzheim

Sortimo partner Schweinfurt

Karl-Heinz Maar Kreuzstraße 2 97532 Üchtelhausen Tel. 09720 1882 Fax 09720 3923 Email: karl-heinz.maar@t-online.de

Sortimo partner Schwerin

HGS Fahrzeug- u. Betriebseinrichtungen GmbH Lindenweg 1 19075 Pampow/Schwerin Tel 03865 829-0 Fax 03865 82922 Email: sortimo.schwerin@t-online.de

Marko Morawietz

17489 Greifswald Can be contacted via Sortimo partner Schwerin Falko Maier

18059 Rostock

Can be contacted via Sortimo partner Schwerin Sven Lück

17033 Neubrandenburg Can be contacted via Sortimo partner Schwerin

Sortimo partner Solingen

Manfred Becker Kyllmannweg 29 42699 Solingen Tel. 0212 320001 Fax 0212 320003 Email: info@sortimo-solingen.de

Sortimo partner Teninger

SiTraFa GmbH & Co. KG Siemensstaße 16 79331 Teningen-Nimburg Tel. 07663 913080 Fax 07663 913089 Fmail: bzoller@sitrafa.de

Sortimo partner Weser-Ems

C.A. Brill GmbH Twentestraße 7 48527 Nordhorn Tel. 05921 7800-341 Fax 05921 7800-10 Email: m.jansen@ca-brill.de

Sortimo partner Wetzlar

Auto-Schach GmbH & Co. KG Industriestraße 15-17 35582 Wetzlar-Dutenhofen Tel. 0641 97901-0 Fax 0641 97901-10 Email: info@auto-schach.de

Please go to www.sortimo.de/plz-suche to quickly find your local representative



Simply fill out the form and fax it to Sortimo +49 8291 850-269

free of charge and without obligation:

Please send me further information and brochures



WE ARE ALWAYS THERE FOR YOU! YOUR CONTACT TO SORTIMO

Call us in Germany:

Tel. +49 8291 850-499
Fax +49 8291 850-269
E-Mail: direct@sortimo.com
www.sortimo.com/direct



 Mobile Assortment Brochure Sortimo Original Accessories Brochure I would like to have a consultation to find of van racking solutions. Please call me backwith no obligation. 		MOBILE ASSORTME OF ASSORTME OF ASSORTME OF ASSORTME OF ASSORTME OF ASSORTME OF ASSORTMENT OF ASSORTM
My telephone number is:		
I would like to subscribe to the Sortimo Ne My e-mail address is:	_	
Company name		
Surname, first name		
Street	Postcode City	
ëel.	Fax	
e-mail	Line of business	
	Date Signature (co	ompany stamp)

Thank you for your interest and we look forward to hearing from you!



Sortimo International GmbH

Dreilindenstraße 5 · 86441 Zusmarshausen · Germany

Tel. +49 8291 850-499 · Fax +49 8291 850-269 · www.sortimo.com





ORDER FORM

Copy and complete this order form and send it to a Sortimo distribution partner or

directly fax it to Sortimo: +49 8291 850-269

Your Sortimo Direct Team is at your service Monday – Thursday 8.00 – 18.00 and Friday 8.00 – 16.00

Tel. +49 8291 850-499 · E-Mail: direct@sortimo.com · www.sortimo.com

*Prices exclusive of VAT

Article No.	Description	without BOXXes	Price* €	Order quantity	Total price€
				Total amount: €	

Company					
Surname, fi	irst name				
Street		Postcode City	Postcode City		
ГеI.		Fax			
e-mail		Line of business			
		The delivery is exclusively subject to or can access under www.sortimo.com/a	agb. Subject to change.		
Date	Signature (company stamp)	We would be pleased to prepare an o solution!	We would be pleased to prepare an offer for your individual van racking solution!		
		Sortimo International GmbH · Dreilinde	nstraße 5 · 86441 Zusmarshausen		

Tel. +49 8291 850-499 · Fax +49 8291 850-269 · www.sortimo.com

VISIT US ONLINE!

As market leader we offer a wide variety of services, information and interactive quotations for all kinds of needs surrounding van racking systems naturally online too.

www.sortimo.com





For more information
WWW.SORTIMO.COM

